

Instructions for Water Table treatment

Using Plasma Anti-Rust 2309 and Anti-Fungal 2893

Swift-Cut partno.305000 Plasma Anti-Rust 2309

Swift-Cut partno.305005 Plasma Anti-Fungal 2893 or Plasma Anti-Fungal Tablets

Swift-Cut 1250 water table

160 Litres= 2309 Anti-Rust -1.6litres per fill

2893 Anti-Fungal-50ml per week or Anti-Fungal tablets x1 per week

Swift-Cut 2500 water table

320 litres= 2309 Anti-Rust-3.2 litres per fill

2893 Anti-Fungal-150ml per week or Anti-Fungal tablets x2 per week

Swift-Cut 3000 water table

435 litres= 2309 Anti-Rust-4.4 litres per fill

2893 Anti-Fungal-200ml per week or Anti-Fungal tablets x2 per week

We would recommend adding the 2309 first allowing it to mix for 1 hour and then weekly adding the 2893. The 2893 is a shot dose and should be carried out on a weekly basis.

Please refer to your local environmental policy regarding the disposal of waste water.